


PRODUCT DETAILS

EXTERNAL SIZE: 640mm H x 520mm W x 700mm D (TRAY DEPTH 40mm) INTERNAL SIZE: 525mm H x 430mm W x 610mm D (TRAY DEPTH 40mm) CASTORS: SWIVEL ROLLING, HEIGHT ADJUSTABLE/LEVELLING LOCKING HOOD: REMOVABLE USING QUICK RELEASE MECHANISM. SWING UP FOR INSPECTION WITH ALUMINIUM STAY HANDLES: LIFT UNIT, LIFT OFF HOOD, SWING UP HOOD FOR INSPECTION VACUUM LINE/HOSE OPENING: 60mm DIAMETER TO REAR INSULATION: FIRE PROOF 50mm SOUND PROOF INSULATION COOLING: AMBIENT TEMPERATURE FRONT TO REAR FLOW TEMPERATURE CONTROLLED 12V FANS POWER: 10AMP IEC POWER IN 3 PIN PLUG TO REAR OF UNIT WITH SWITCH GENERAL UNIT: 3mm 5005 ALUMINIUM PRIMED AND BAKED, FOLDED AND FIXED. TRAY WELDED. OTHER: ALL PARTS SERVICABLE OR REPLACABLE. DBA TESTED REDUCING UP TO 38DBA.

LAB BENCH AUSTRALIA

SHEET: SPECIFICATION - PUBLIC RELEASE DATE: 2024 - 2025 GEN 2 PRODUCT: LB520AE TITLE: Serene . PAGE 1 OF 3



PUMP FITMENT


CHECK ALL SIZING WITH YOUR SELECTED PUMP SUPPLIER. CHECK POWER CONNECTION POSITION AND INTRUSION. CHECK OIL MIST FILTER SIZING AND FITTINGS. CHECK VACUUM LINE/HOSE DIAMETER.

POSSIBLE PUMP SOLUTIONS

PFEIFFER: DUO6M, DUO6, DUO VANE22, SMART VANE55, DUOLINE11, DUO1.6. HVAC: VRD04G, 08, 16, 24, 30. WELCH: CRVPRO 2, 4, 6, 8, 16, 24, NOT 30. EDWARDS: RV3, 5, 8, 12. E2M0.7, E2M1.5, E2M2.5, E2M18, NOT E2M28. BUSCH: R5KB 0010E, 0016E, FOZZA FO15A, 0035B LEYBOLD: SV10B, SV16B, SV25B, SV40B, NEOD16, NEOD25, NOT NEOD40/65

LAB BENCH AUSTRALIA

SHEET: SPECIFICATION - PUBLIC RELEASE DATE: 2024 - 2025 GEN 2 PRODUCT: LB520AE TITLE: Serene . PAGE 2 OF 3



LAB BENCH AUSTRALIA

SHEET: SPECIFICATION - PUBLIC RELEASE DATE: 2024 - 2025 GEN 2 PRODUCT: LB520AE TITLE: Serene . PAGE 3 OF 3